

Milan

TWAIN
donde la luz baila

TWAIN
DANCING LIGHT

Twain nos trae infinitas combinaciones en una misma lámpara. Con la posibilidad de una o dos pantallas, su particular diseño permite ajustar la altura a la posición deseada así como la rotación de 360 grados. Este baile de pantallas y estructura de formas puras la dota de singularidad, aportando un punto lúdico y armónico a los distintos espacios. La encontramos en dos versiones, pie o aplique de pared, con acabados tan diferentes como lacado en gris marengo, visón y en baño de latón mate combinado con base de mármol natural en blanco, que dan versatilidad a las composiciones que nos ofrece.



REF. 6904+4904




Twain provides infinite combinations within a single lamp. With the option of one or two shades, its unique design makes it possible to adjust its height to the desired position as well as providing 360° rotation. This dance of shades and streamlined structure makes this a special lamp, adding a touch of playfulness and harmony to different spaces. The lights in this collection are available as standing or wall lights, with different lacquered finishes including anthracite grey, mink and matt brass, combined with a natural white marble base which give versatility to the compositions it provides.



REF. 6904(2)+4905


TWAIN



REF. 6904+3904

TWAIN

Twain 250 F.



Código/Code Acabados / Finishes

6904 ●● Pantalla dreams crudo
Shade in raw dreams

ESP. Pantalla material “ dreams” crudo (Poliéster 100 %) con estructura de film rígido de PVC, ajustable en altura. Interruptor incorporado en el portalámparas. Longitud del cable, 4 metros.

ENG. Shade in raw “dreams” material (100% Poliester) with a rigid PVC film structure and adjustable height. Built-in switch on lamp-holder. Cable length, 4 meters.

Datos técnicos / Technical data


Ø250 × 180mm x | H. max.
3.000mm
1 x E27 Lámpara Standard
/ Standard bulb



retrofit led Cod.2016 13 W
1.521 lumen | 2.700K
Dimable / Dimmable

Clase II: Aislamiento básico
más aislamiento reforzado
Class II: Basic insulate plus
reinforced insulation

Accesorios / Accessories




3904 ● Lacado gris marengo texturado
Textured anthracite grey lacquer (RAL 7016).

3905 ● Lacado visón texturado
Textured mink lacquering (NCS S 2005-Y10R)

ESP. Soporte pared en acero, lacado gris marengo (RAL 7016) y lacado visón (NCS S 2005-Y10R).

ENG. Wall bracket in steel, finished in anthracite grey lacquering (RAL 7016) and mink lacquered (NCS S 2005-Y10R).




4904 ● Lacado gris marengo texturado
Textured anthracite grey lacquer (RAL 7016).

4905 ● Lacado visón texturado
Textured mink lacquering (NCS S 2005-Y10R)

4906 ● Baño de latón mate
Matt brass plating

ESP. Pie de salón con tubo y base en acero, lacado gris marengo (RAL 7016), lacado visón (NCS S 2005-Y10R) y baño de latón mate.

ENG. Floor lamp with tube and base, anthracite grey lacquering (RAL 7016), mink lacquered (NCS S 2005-Y10R) and matt brass plating.



2401 Dimmer Aéreo
Aerial dimmer

ESP. Colocación del dimmer: Distancia del dimmer a la pantalla: 30cm

ENG. Dimmer placement: Distance from the dimmer to the shade: 30cm

Dirección de arte y diseño | Art direction & design: P.A.R
Fotografía | Photography: Enric Badrinas
Textos | Texts: P.A.R

Arquimedes, 24
08097 Hospitalet de Llobregat
Barcelona / Spain
T. +34 93 336 99 66
F. +34 93 336 99 60
milan-iluminacion.com
@milanlighting

BACK COVER PHOTO –
FOTO DE CONTRACUBIERTA
REF. 6904+4904

